EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5468	345/87.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L2	531210	((Icd Icp) (liquid near5 crystal near5 (display panel)))	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L3	27498	heat\$3 same L2	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L4	14269	heat\$3 with L2	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L5	128212	heat\$3 and L2	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L6	4881	shiomi.inv.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L7	626328	heat\$3.clm.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L8	119590	"345"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L9	20709	heater and L2	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L10	102268	"345"/\$.ccls.	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39

L11	315	(memory and (look near5 up near5 table)) and L3	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L12	827	(memory and (look near5 up near5 table)) and L9	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L13	6152	L10 and L5	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L14	1	"20020033789"	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L15	3226	(memory and (look near5 up near5 table)) and L5	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L16	344914	temperature near5 control	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L17	157	L1 and L16	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L18	65	L6 and L7	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L19	1	L8 and L18	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L20	40	L12 and L8	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L21	61	heater and L1	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L22	84	(memory and (look near5 up near5 table)) and L4	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L23	10	L2 and L18	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39

L24	321	(memory and (look near5 up near5 table)) and L13	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L25	598	L8 and L9	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L26	20075	L2 and L16	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L27	1194	L8 and L26	US- PGPUB; USPAT; EPO; JPO	OR	MON	2010/09/09 16:39
L28	59	L1 and L9	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L29	151	L1 and L26	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L30	58479	(ideal target) near5 temperature	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L31	211977	heat\$3 near5 control	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L32	29	L1 and L31	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L33	20	L1 and L30	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L34	5104	heat\$3 near5 L2	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L35	103	L1 and L34	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L36	776	345/214.ccls.	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39

L37	168	349/72.ccls.	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L38	2	L36 and L37	US- PGPUB; USPAT	OR	ON	2010/09/09 16:39
L39	204	heat\$3 and (L36 L37)	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L40	134830	look\$1up near5 table	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L41	19	L39 and L40	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L42	427	345/101.ccls.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L43	249	electrode and L42	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L44	11	(heat\$3 near3 electrode) and L42	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 16:39
L47	1	(memory same (LUT (look\$1up near3 table)) same current same previous same heater).clm.	US- PGPUB; USPAT; EPO; JPO	OR	ON	2010/09/09 17:19

9/9/2010 5:30:55 PM

C:\ Documents and Settings\ mpervan\ My Documents\ EAST\ Workspaces\ 10828471.wsp